


# Geelgorzen op de Hoge Veluwe

Kan het aantal territoria van geelgorzen op de Hoge Veluwe worden geschat met data uit Waarneming.nl?




J.A. (Adriaan) Guldemond,  
E. (Eefje) den Belder  
H. (Henk) Sierdsema

**Figuur 2** Territoria van geelgors bepaald via Autoclustering van Waarneming.nl-waarnemingen (blauwe stippen) en BMP-territoria (gele stippen) for 2018 (A), 2019 (B) en 2020 (C). Waarneming.nl-territoria die gekoppeld kunnen worden aan BMP-territoria zijn met een lijn verbonden. 'Onterechte' Waarneming.nl-territoria zijn met een kruis aangegeven. Kader op kaart C (2020) toont 'onterechte' territoria op het Otterlose Zand.

**Figure 2** Territories of yellowhammer determined via Auto-clustering of Waarneming.nl-observations (blue dots) and Avimap (BMP)-territories of yellowhammer in the BMP areas (yellow dots) for 2018 (A), 2019 (B) and 2020 (C). Waarneming.nl-territories that can be linked to BMP territories are connected by a line. 'Unjustified' Waarneming.nl-territories are marked with a cross. Box on map C (2020) shows 'unjustified' territories on the Otterlose Zand.

B.  
2019



C.  
2020

